Form 3160-3		1	FORM APPROVI	FD.		
(September 2001)			OMB No. 1004-0. Expires January 31,	136		
UNITED STATES DEPARTMENT OF THE IN		-	5. Lease Serial No.			
BUREAU OF LAND MANAG		.	2OG0005609			
APPLICATION FOR PERMIT TO DE	APPLICATION FOR PERMIT TO DRILL OR REENTER					
		Ute				
1a. Type of Work: DRILL REENTE	2		7. If Unit or CA Agreement, Name and No.			
	-	N/A				
1b. Type of Well: A Oil Well Gas Well Other	ple Zone	8. Lease Name and Well No. Ute Tribal 11-35-4-1E	**			
2. Name of Operator  Newfield Production Company			9. API Well No.	1100		
3a. Address	3b. Phone No. (include area code)		43-047-34			
Route #3 Box 3630, Myton UT 84052	(435) 646-3721		10. Field and Pool, or Explorat	· ·		
4. Location of Well (Report location clearly and in accordance with			11. Sec., T., R., M., or Blk. and			
At surface NE/SW 769' FSL 1799' FWL 597840 X		,	•			
At proposed prod. zone 4 438280		NE/SW Sec. 35, T4S	R1E			
14. Distance in miles and direction from nearest town or post office*		12. County or Parish	13. State			
Approximatley 25.5 miles southeast of Myton, Utah			Uintah	UT		
15. Distance from proposed* location to nearest	16. No. of Acres in lease 17. Spacin			ing Unit dedicated to this well		
property or lease line, ft. (Also to nearest drig. unit line, if any) Approx. 479' f/lse, NA' f/unit	NA		40 Acres			
18. Distance from proposed location*	19. Proposed Depth	20. BLM/BI	/BIA Bond No. on file			
to nearest well, drilling, completed, applied for, on this lease, ft.  NA	6350'	B	B002792			
21. Elevations (Show whether DF, KDB, RT, GL, etc.)	22. Approximate date work will sta	rt*	23. Estimated duration			
4964' GL	1st Quarter 2008		Approximately seven (7) days from spud to rig release.			
	24. Attachments					
The following, completed in accordance with the requirements of Onshor	e Oil and Gas Order No.1, shall be att	ached to this f	form:			
<ol> <li>Well plat certified by a registered surveyor.</li> <li>A Drilling Plan.</li> <li>A Surface Use Plan (if the location is on National Forest System Is SUPO shall be filed with the appropriate Forest Service Office).</li> </ol>	Item 20 above).  5. Operator certification	ation. specific inforr	unless covered by an existing mation and/or plans as may b	•		
25. Signature	Name (Printed/Typed)		Date			
I tarras logo	Mandie Crozier		¦ 9/19/	/07		
Regulatory Specialist	e grand and the second		: <b>&amp;</b>			
Approved by Signature	Name (Printed/Typed)  RRADLEY G	HILL	Date	21-07		
Title	Offienvironmental M	MANAGER	( )	<del></del>		
Application approval does not warrant or certify the the applicant holds lepoperations thereon.	gal or equitable title to those rights in	the subject lea	ase which would entitle the app	licant to conduct		
Conditions of approval, if any, are attached.	April 1997	··				


Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

\*(Instructions on reverse)

**RECEIVED** SEP 2 7 2007

Federal Approval of this Action is Necessary

DIV. OF OIL, GAS & MINING



#### NEWFIELD PRODUCTION COMPANY UTE TRIBAL #11-35-4-1E NE/SW SECTION 35, T4S, R1E UINTAH COUNTY, UTAH

#### **ONSHORE ORDER NO. 1**

#### DRILLING PROGRAM

#### 1. <u>GEOLOGIC SURFACE FORMATION:</u>

Uinta formation of Upper Eocene Age

#### 2. ESTIMATED TOPS OF IMPORTANT GEOLOGIC MARKERS:

Uinta	0' - 1,840'
Green River	1,840'
Wasatch	6,350'
TD	6,350'

#### 3. ESTIMATED DEPTHS OF ANTICIPATED WATER, OIL, GAS OR MINERALS:

Green River Formation (Oil)  $1,840^{\circ} - 6,350^{\circ}$ 

Fresh water may be encountered in the Uinta Formation, but would not be expected below about 350'. All water shows and water bearing geologic units shall be reported to the geologic and engineering staff of the Vernal Office prior to running the next string of casing or before plugging orders are requested. All water shows must be reported within one (1) business day after being encountered.

All usable (<10,000 PPM TDS) water and prospectively valuable minerals (as described by BLM at onsite) encountered during drilling will be recorded by depth and adequately protected. This information shall be reported to the Vernal Office.

Detected water flows shall be sampled, analyzed, and reported to the geologic & engineering staff of the Vernal Office. The office may request additional water samples for further analysis. Usage of the State of Utah form *Report of Water Encountered* is acceptable, but not required.

The following information is requested for water shows and samples where applicable:

Location & Sampled Interval Date Sampled Flow Rate Temperature Hardness pН Water Classification (State of Utah) Dissolved Calcium (Ca) (mg/l) Dissolved Iron (Fe) (ug/l) Dissolved Sodium (Na) (mg/l) Dissolved Magnesium (Mg) (mg/l) Dissolved Carbonate (CO<sub>3</sub>) (mg/l) Dissolved Bicarbonate (NaHCO<sub>3</sub>) (mg/l) Dissolved Chloride (Cl) (mg/l) Dissolved Sulfate (SO<sub>4</sub>) (mg/l) Dissolved Total Solids (TDS) (mg/l)

#### 4. PROPOSED CASING PROGRAM

a. Casing Design: Ute Tribal 11-35-4-1E

Size	* _ I	nterval	Weight	Grade	Coupling		Design Facto	gn Factors	
)	Тор	Bottom -	vveigilt	Grade	Couping	Burst	Collapse	Tension	
Surface casing						2,950	1,370	244,000	
8-5/8" Hole Size 12 1⁄4"	0'	300'	24.0	J-55	STC	17.53	14.35	33.89	
Prod casing						4,810	4,040	217,000	
5-1/2" Hole Size 7 7/8"	0'	6,350'	15.5	J-55	LTC	2.38	2.00	2.20	

#### Assumptions:

- 1) Surface casing max anticipated surface press (MASP) = Frac gradient gas gradient
- 2) Prod casing MASP (production mode) = Pore pressure gas gradient
- 3) All collapse calculations assume fully evacuated casing w/ gas gradient
- 4) All tension calculations assume air weight

Frac gradient at surface casing shoe = 13.0 ppg
Pore pressure at surface casing shoe = 8.33 ppg
Pore pressure at prod casing shoe = 8.33 ppg
Gas gradient = 0.115 psi/ft

All casing shall be new or, if used, inspected and tested. Used casing shall meet or exceed API standards for new casing.

All casing strings shall have a minimum of 1 (one) centralizer on each of the bottom three (3) joints.

b. Cementing Design: Ute Tribal 11-35-4-1E

Job	. Fill	Description	Sacks ft³	OH Excess*	Weight (ppg)	Yield (ft³/sk)
Surface casing	300'	Class G w/ 2% CaCl	138	30%	15.8	1.17
Surface casing	300	Class G W/ Z/0 CaCl	161	3076	15.6	1.17
Prod casing	4,350'	Prem Lite II w/ 10% gel + 3%	301	30%	11.0	3.26
Lead	4,550	KCI	980		11.0	3.20
Prod casing	2,000'	50/50 Poz w/ 2% gel + 3%	363	30%	14.3	1.24
Tail	2,000	KCI	451	30%	14.3	

- \*Actual volume pumped will be 15% over the caliper log
- Compressive strength of lead cement: 1800 psi @ 24 hours, 2250 psi @ 72 hours
- Compressive strength of tail cement: 2500 psi @ 24 hours

Waiting On Cement: A minimum of four (4) hours shall elapse prior to attempting any pressure testing of the BOP equipment which would subject the surface casing cement to pressure, and a minimum of six (6) hours shall elapse before drilling out of the wiper plug, cement, or shoe is begun. WOC time shall be recorded in the Driller's Log. Compressive Strength shall be a minimum of 500 psi prior to drilling out.

The Vernal BLM Office shall be notified, with sufficient lead time, in order to have a BLM representative on location while running all casing strings and cementing.

Ten Point Well Program
Thirteen Point Well Program
Page 3 of 13

The 8-5/8" surface casing shall in all cases be cemented back to surface. In the event that during the primary surface cementing operation the cement does not circulate to surface, or if the cement level should fall back more than 8 feet from surface, then a remedial surface cementing operation shall be performed to insure adequate isolation and stabilization of the surface casing.

The production casing cementing program shall be conducted as approved to protect and/or isolate all usable water zones, potentially productive zones, lost circulation zones, abnormally pressured zones, and any prospectively valuable deposits of minerals.

As a minimum, usable water zones shall be isolated and/or protected by having a cement top for the production casing at least 200 feet above the base of the usable water. If gilsonite is encountered while drilling, it shall be isolated and/or protected via the cementing program.

Top plugs shall be used to reduce contamination of cement by displacement fluid. A bottom plug or other acceptable technique, such as a suitable preflush fluid, inner string cement method, etc., shall be utilized to help isolate the cement from contamination by the mud being displaced ahead of the cement slurry.

All casing strings below the conductor shall be pressure tested to 0.22 psi per foot of casing string length or to 1500 psi, whichever is greater, but not to exceed 70% of the minimum internal yield. If pressure declines more than 10% in 30 minutes, corrective action shall be taken.

A Form 3160-5, "Sundry Notices and Reports on Wells" shall be filed with the Vernal Office Manager within 30 days after the work is completed. This report must include the following information:

Setting of each string of casing showing the size, grade, weight of casing set, depth, amounts and type of cement used, whether cement circulated or the top of the cement behind the casing, depth of the cementing tools used, casing test method and results, and the date of the work done. Spud date will be shown on the first reports submitted.

#### 5. MINIMUM SPECIFICATIONS FOR PRESSURE CONTROL:

The Company's Class 2M minimum specifications for pressure control equipment for a standard Monument Butte development well are as follows:

A 2000 psi WP hydraulic BOP stack consisting of two ram preventers (double or two singles) and either an annular preventer or a rotating head. If no annular preventer is used, ram blocks will be changed to match the outside diameter of casing and the stack will be retested prior to running any casing string.

Connections - All components on the stack and choke and kill lines shall have either flanged, studded, clamp hub or equivalent proprietary connections except control line outlets and pressure gauges.

Choke Manifold - The minimum equipment requirements are shown in Exhibit C. The choke manifold shall be located at least 5 feet from the BOP stack, outside the substructure.

Pressure Monitoring - A means of monitoring the inlet pressure of the choke manifold shall be provided. The capability to isolate this outlet shall be provided.

Drillstring Control Devices - An upper and lower kelly valve, drillstring safety valve including correct closing handle, and an inside BOP shall be provided. The safety valve and inside BOP

Ten Point Well Program
Thirteen Point Well Program
Page 4 of 13

shall have connections or crossovers to fit all tubulars with OD to allow adequate clearance for running in the hole. All drillstring valves shall be rated to the required BOP WP.

The BOP and related equipment shall meet the minimum requirements of Onshore Oil and Gas Order No. 2 for equipment and testing requirements, procedures, etc., for a 2M system, and individual components shall be operable as designed.

Function test of the BOP equipment shall be made daily. All required BOP tests and/or drills shall be recorded in the Driller's report.

Chart recorders will be used for all pressure tests. Test charts, with individual test results identified, shall be maintained on location while drilling and shall be made available to BLM representatives upon request.

#### 6. TYPE AND CHARACTERISTICS OF THE PROPOSED CIRCULATION MUDS:

From surface to ±350 feet will be drilled with an air/mist system. From about 350 feet to TD, a fresh water system will be utilized. Clay inhibition and hole stability will be achieved with a KCl substitute additive. This additive will be identified in the APD and reviewed to determine if the reserve pit shall be lined. This fresh water system will typically contain Total Dissolved Solids (TDS) of less than 3000 PPM. Anticipated mud weight is 8.4 lbs/gal. If necessary to control formation fluids or pressure, the system will be weighted with the addition of bentonite gel, and if pressure conditions warrant, with barite.

No chromate additives will be used in the mud system on Federal and/or Indian lands without prior BLM approval to ensure adequate protection of fresh aquifers.

No chemicals subject to reporting under SARA Title III in an amount equal to or greater than 10,000 pounds will be used, produced, stored, transported, or disposed of annually in association with the drilling, testing, or completing of this well. Furthermore, no extremely hazardous substances, as defined in 40 CFR 355, in threshold planning quantities, will be used, produced, stored, transported, or disposed of in association with the drilling, testing, or completing of this well.

Hazardous substances specifically listed by the EPA as a hazardous waste or demonstrating a characteristic of a hazardous waste will not be used in drilling, testing, or completion operations.

Newfield Production will visually monitor pit levels and flow from the well during drilling operations.

#### 7. <u>AUXILIARY SAFETY EQUIPMENT TO BE USED:</u>

Auxiliary safety equipment will be a Kelly Cock, bit float, and a TIW valve with drill pipe threads.

#### 8. TESTING, LOGGING AND CORING PROGRAMS:

#### a. Logging Program:

(the log types run may change at the discretion of the geologist)

FDC/CNL/GR/DLL:

TD - 3,200'

CBL: A cement bond log will be run from TD to the cement top of the production casing. A field copy will be submitted to the Vernal BLM Office.

b. Cores: As deemed necessary.

#### c. Drill Stem Tests: No DSTs are planned in the Green River.

Drill stem tests, if they are run, will adhere to the following requirements: Initial opening of the drill stem test tools shall be restricted to daylight hours unless specific approval to start during other hours is obtained from the Authorized Officer (AO). However, DSTs may be allowed to continue at night if the test was initiated during daylight hours and the rate of flow is stabilized and if adequate lighting is available (i.e., lighting which is adequate for visibility and vapor-proof for safe operations). Packers can be released but tripping shall not begin before daylight, unless prior approval is obtained from the AO. Closed chamber DSTs may be performed day or night.

Some means of reverse circulation shall be provided in case of flow to the surface showing evidence of hydrocarbons.

Separation equipment required for the anticipated recovery shall be properly installed before a test starts.

If a DST is performed, all engines within 100 feet of the wellbore that are required to be operational during the test shall have spark arresters or water-cooled exhausts.

Please refer to the Monument Butte Field Standard Operation Procedure (SOP).

#### 9. ANTICIPATED ABNORMAL PRESSURE OR TEMPERATURE:

No abnormal temperatures or pressures are anticipated. No hydrogen sulfide has been encountered or is known to exist from previous drilling in the area at this depth. Maximum anticipated bottomhole pressure will approximately equal total depth in feet multiplied by a 0.433 psi/foot gradient.

#### 10. ANTICIPATED STARTING DATE AND DURATION OF THE OPERATIONS:

#### a. Drilling Activity

**Anticipated Commencement Date:** 

Drilling Days: Completion Days: Upon approval of the site specific APD.

Approximately 7 days.

Approximately 10 - 14 days.

#### b. Notification of Operations

The Vernal BLM office will be notified at least 24 hours **prior** to the commencement of spudding the well (to be followed with a Sundry Notice, Form 3160-5), of initiating pressure tests of the blowout preventer and related equipment, and running casing and cementing of all casing strings. Notification will be made during regular work hours (7:45 a.m.-4:30 p.m., Monday - Friday except holidays).

<u>Immediate Report</u>: Spills, blowouts, fires, leaks, accidents, or any other unusual occurrences shall be promptly reported in accordance with the appropriate regulations, Onshore Orders, or BLM policy.

No location will be constructed or moved, no well will be plugged, and no drilling or workover equipment will be removed from a well to be placed in suspended status without prior approval from the AO. If operations are to be suspended, prior approval of the AO will be obtained and notification given to the BLM before resumption of operations.

Ten Point Well Program Thirteen Point Well Program Page 6 of 13

Daily drilling and completion reports shall be submitted to the Vernal BLM Office on a weekly basis.

Whether the well is completed as a dry hole or a producer, the "Well Completion and Recompletion Report and Log" (Form 3160-4) will be submitted not later than 30 days after completion of the well or after completion of operations being performed, in accordance with 43 CFR 3164. One copy of all logs, core descriptions, core analyses, well test data, geologic summaries, sample description, and all other surveys or data obtained and compiled during the drilling, workover, and/or completion operations will be filed with Form 3160-4. Samples (cuttings, fluids, and/or gases) will be submitted when requested by the Authorized Officer (AO).

A completion rig will be used for completion operations after the wells are stimulated to run the production tubing. All conditions of this approved plan will be applicable during all operations conducted with the completion rig.

Operator shall report production data to the MMS pursuant to 30 CFR 216.5 using form MMS/3160. In accordance with Onshore Oil and Gas Order No. 1, a well will be reported on form 3160-6, "Monthly Report of Operations," starting with the month in which operations commence and continue each month until the well is physically plugged and abandoned. This report will be filed with the Vernal BLM Office.

The date on which production is commenced or resumed will be construed for oil wells as the date on which liquid hydrocarbons are first sold or shipped from a temporary storage facility, such as a test tank, and for which a run ticket is required to be generated, or the date on which liquid hydrocarbons are first produced into a permanent storage facility, whichever occurs first; and for gas wells, as the date on which associated liquid hydrocarbons are first sold or shipped from a temporary storage facility, such as a test tank, and for which a run ticket is required to be generated, or the date on which gas is measured through permanent metering facilities, whichever occurs first.

Should the well be successfully completed for production, the AO will be notified when the well is placed in a producing status. Such notification will be sent by written communication not later than 5 days following the date when the well is placed on production.

Pursuant to Onshore Order No. 7, with the approval of the AO, produced water may be temporarily disposed of into unlined pits for a period of up to 90 days. During this period, an application for approval of the permanent disposal method must be submitted to the AO.

Pursuant to NTL-4A, lessees or operators are authorized to vent/flare gas during the initial well evaluation tests, not to exceed 30 days or the production of 50 MMCF of gas, whichever occurs first. An application must be filed with the AO and approval received for any venting/flaring of gas beyond the initial 30 days or authorized test period.

A schematic facilities diagram, as required by 43 CFR 3162.7-5(b.9.d), shall be submitted to the Vernal BLM Office within 60 days of installation or first production, whichever occurs first. All site security regulations, as specified in Onshore Oil & Gas Order No. 3, shall be adhered to. All product lines entering and leaving hydrocarbon storage tanks will be effectively sealed in accordance with 43 CFR 3162.7-5(b.4).

Well abandonment operations shall not be commenced without the prior approval of the AO. In the case of newly drilled dry holes or failures, and in emergency situations, oral approval will be obtained from the AO. A "Subsequent Report of Abandonment", Form 3160-5, will be filed with the Authorized Officer within 30 days following completion of the well for abandonment. This report will indicate placement of the plugs and current status of the

Ten Point Well Program
Thirteen Point Well Program
Page 7 of 13

surface restoration. Final Abandonment will not be approved until the surface reclamation work required by the approved APD or approved abandonment notice has been completed to the satisfaction of the AO, or the appropriate surface managing agency.

Pursuant to Onshore Oil and Gas Order No. 1, lessees and operators have the responsibility to see that their exploration, development, production, and construction operations are conducted in a manner which conforms with applicable Federal laws and regulations and with the State and local laws, to the extent to which they are applicable, to operations on Federal or Indian lands.

Ten Point Well Program
Thirteen Point Well Program
Page 8 of 13

#### NEWFIELD PRODUCTION COMPANY UTE TRIBAL #11-35-4-1E NE/SW SECTION 35, T4S, R1E UINTAH COUNTY, UTAH

#### THIRTEEN POINT SURFACE PROGRAM

#### 1. **EXISTING ROADS**

See attached Topographic Map "A"

To reach Newfield Production Company well location site Ute Tribal 11-35-4-1E located in the NE¼ SW¼ Section 35, T4S, R1E, S.L.B. & M., Uintah County, Utah:

Proceed in a southeasterly direction out of Myton, approximately 16.3 miles to the junction of this road and an existing road to the northeast; proceed northeasterly approximately 7.9 miles to it's junction with an existing road to the east; proceed easterly approximately 0.2 miles to its junction with the beginning of the proposed access road to the east; proceed along the proposed access road approximately 5,850' to the propose well location.

The aforementioned dirt oil field service roads and other roads in the vicinity are constructed out of existing native materials that are prevalent to the existing area they are located in and range from clays to a sandy-clay shale material.

The roads for access during the drilling, completion and production phase will be maintained at the standards required by the State of Utah, or other controlling agencies. This maintenance will consist of some minor grader work for smoothing road surfaces and for snow removal. Any necessary fill material for repair will be purchase and hauled from private sources.

#### 2. PLANNED ACCESS ROAD

Approximately 5,850' of access road is proposed. See attached Topographic Map "B".

The proposed access road will be an 18' crown road (9' either side of the centerline) with drainage ditches along either side of the proposed road whether it is deemed necessary in order to handle any run-off from normal meteorological conditions that are prevalent to this area. The maximum grade will be less than 8%.

There will be no culverts required along this access road. There will be barrow ditches and turnouts as needed along this road.


There are no fences encountered along this proposed road. There will be no new gates or cattle guards required.

All construction material for this access road will be borrowed material accumulated during construction of the access road.

#### 3. LOCATION OF EXISTING WELLS

Refer to EXHIBIT B.

#### 4. LOCATION OF EXISTING AND/OR PROPOSED FACILITIES



There are no existing facilities that will be used by this well.

It is anticipated that this well will be a producing oil well.

Upon construction of a tank battery, the well pad will be surrounded by a dike of sufficient capacity to contain at minimum 110% of the largest tank volume within the facility battery.

Tank batteries will be built to State specifications.

All permanent (on site for six (6) months or longer) structures, constructed or installed (including pumping units), will be painted a flat, non-reflective, earth tone color to match one of the standard environmental colors, as determined by the Rocky Mountain Five State Interagency Committee. All facilities will be painted within six months of installation.

#### 5. LOCATION AND TYPE OF WATER SUPPLY

Newfield Production will transport water by truck for drilling purposes from the following water sources:

Johnson Water District Water Right: 43-10136

Neil Moon Pond

Water Right: 43-11787

Maurice Harvey Pond Water Right: 47-1358

Newfield Collector Well

Water Right: 41-3530 (A30414DV, contracted with the Duchesne County Conservancy District).

There will be no water well drilled at this site.

#### 6. SOURCE OF CONSTRUCTION MATERIALS

All construction material for this location shall be borrowed material accumulated during construction of the location site and access road.

A mineral material application is not required for this location.

#### 7. METHODS FOR HANDLING WASTE DISPOSAL

A small reserve pit (90' x 40' x 8' deep, or less) will be constructed from native soil and clay materials. The reserve pit will receive the processed drill cutting (wet sand, shale & rock) removed from the wellbore. Any drilling fluids, which do accumulate in the pit as a result of shale-shaker carryover, cleaning of the sand trap, etc., will be promptly reclaimed. All drilling fluids will be fresh water based, typically containing Total Dissolved Solids of less than 3000 PPM. No potassium chloride, chromates, trash, debris, nor any other substance deemed hazardous will be placed in this pit. Therefore, it is proposed that no synthetic liner be required in the reserve pit. However, if upon constructing the pit there is insufficient fine clay and silt present, a liner will be used for the purpose of reducing water loss through percolation.

Newfield requests approval that a flare pit not be constructed or utilized on this location.

A portable toilet will be provided for human waste.

A trash basket will be provided for garbage (trash) and hauled away to an approved disposal site at the completion of the drilling activities.

Immediately upon first production, all produced water will be confined to a steel storage tank. If the production water meets quality guidelines, it is transported to the Ashley, Monument Butte, Jonah, and Beluga water injection facilities by company or contract trucks. Subsequently, the produced water is injected into approved Class II wells to enhance Newfield's secondary recovery project.

Water not meeting quality criteria, is disposed at Newfield's Pariette #4 disposal well (Sec. 7, T9S R19E) or at State of Utah approved surface disposal facilities.

#### 8. <u>ANCILLARY FACILITIES:</u>

There are no ancillary facilities planned for at the present time and none foreseen in the near future.

#### 9. **WELL SITE LAYOUT:**

See attached Location Layout Sheet.

#### **Fencing Requirements**

All pits will be fenced according to the following minimum standards:

- a) A 39-inch net wire shall be used with at least one strand of barbed wire on top of the net.
- b) The net wire shall be no more than two (2) inches above the ground. The barbed wire shall be three (3) inches above the net wire. Total height of the fence shall be at least forty-two (42) inches.
- c) Corner posts shall be centered and/or braced in such a manner to keep tight at all times
- d) Standard steel, wood or pipe posts shall be used between the corner braces. Maximum distance between any two posts shall be no greater than sixteen (16) feet.
- e) All wire shall be stretched, by using a stretching device, before it is attached to the corner posts.

The reserve pit fencing will be on three (3) sides during drilling operations and on the fourth side when the rig moves off location. Pits will be fenced and maintained until cleanup.

Existing fences to be crossed by the access road will be braced and tied off before cutting so as to prevent slacking in the wire. The opening shall be closed temporarily as necessary during construction to prevent the escape of livestock, and upon completion of construction the fence shall be repaired to BLM specifications.

#### 10. PLANS FOR RESTORATION OF SURFACE:

#### a) Producing Location

Immediately upon well completion, the location and surrounding area will be cleared of all unused tubing, equipment, debris, material, trash and junk not required for production.

The reserve pit and that portion of the location not needed for production facilities/operations will be recontoured to the approximated natural contours. Weather permitting, the reserve pit will be reclaimed within one hundred twenty (120) days from the date of well completion. Before any dirt work takes place, the reserve pit must have all fluids and hydrocarbons removed.

#### b) Dry Hole Abandoned Location

At such time as the well is plugged and abandoned, the operator shall submit a subsequent report of abandonment and the State of Utah will attach the appropriate surface rehabilitation conditions of approval.

11. **SURFACE OWNERSHIP:** Ute Tribe (proposed location).

#### 12. OTHER ADDITIONAL INFORMATION:

The Archaeological Resource Survey and Paleontological Resource Survey for this area are attached. MOAC Report #07-312, 9/7/07. Paleontological Resource Survey prepared by, SWCA, 9/7/07. See attached report cover pages, Exhibit "D".

Newfield Production Company requests 5,850' of disturbed area be granted to allow for construction of the planned access road. Refer to Topographic Map "B". For the planned access road a temporary width of 60' will be needed for construction purposes with a permanent width of 30' and a running surface of 18'. The construction phase of the planned access road will last approximately (5) days. The planned access road will be an 18' crown road (9' either side of the centerline) with drainage ditches along either side of the proposed road whether it is deemed necessary in order to handle any run-off from normal meteorological conditions that are prevalent to this area. The maximum grade will be less than 8%. There will be no culverts required along this access road. There will be barrow ditches and turnouts as needed along this road. There are no fences encountered along this proposed road. There will be no new gates or cattle guards required. All construction material for this access road will be borrowed material accumulated during construction of the access road.

Newfield Production Company requests 5,850' of disturbed area be granted to allow for construction of the proposed surface gas lines. The Easement ROW from Rex and LaRue Lamb for construction of the proposed gas pipelines in Sec. 34, T4S R1E is attached. It is proposed that the disturbed area will temporarily be 50' wide to allow for construction of a 6" gas gathering line, and a 3" poly fuel gas line, with a permanent width of 30' upon completion of the proposed gas lines. The construction phase of the proposed gas lines will last approximately (5) days. Both lines will tie in to the existing pipeline infrastructure. Refer to Topographic Map "C."

Newfield Production Company requests 5,850' of disturbed area be granted to allow for construction of the proposed water lines. The Easement ROW from Rex and LaRue Lamb for construction of the proposed gas pipelines in Sec. 34, T4S R1E is attached. It is proposed that the disturbed area will temporarily be 50' wide to allow for construction of a buried 3" steel water injection line and a buried 3" poly water return line, with a permanent width of 30' upon completion of the proposed water return line. The construction phase of the proposed water lines will last approximately (5) days. **Refer to Topographic Map "C."** 

a) Newfield Production Company is responsible for informing all persons in the area who are associated with this project that they will be subject to prosecution for knowingly disturbing historic or archaeological sites, or for collecting artifacts. If historic or archaeological materials are uncovered during construction, Newfield is to immediately stop work that might further disturb such materials and contact the Authorized Officer.

- b) Newfield Production will control noxious weeds along rights-of-way for roads, pipelines, well sites or other applicable facilities. On State administered land it is required that a Pesticide Use Proposal shall be submitted and given approval prior to the application of herbicides or other possible hazardous chemicals.
- c) Drilling rigs and/or equipment used during drilling operations on this well site will not be stacked or stored on State Lands after the conclusion of drilling operations or at any other time without State authorization. However, if State authorization is obtained, it is only a temporary measure to allow time to make arrangements for permanent storage on commercial facilities.

#### Additional Surface Stipulations

All lease and/or unit operations will be conducted in such a manner that full compliance is made with all applicable laws and regulations, Onshore Oil and Gas Orders, the approved plan of operations and any applicable Notice to Lessees. A copy of these conditions will be furnished to the field representative to ensure compliance.

#### Hazardous Material Declaration

Newfield Production Company guarantees that during the drilling and completion of the Ute Tribal 11-35-4-1E, Newfield will not use, produce, store, transport or dispose 10,000# annually of any of the hazardous chemicals contained in the Environmental Protection Agency's consolidated list of chemicals subject to reporting under Title III Superfund Amendments and Reauthorization Act (SARA) of 1986. Newfield also guarantees that during the drilling and completion of the Ute Tribal 11-35-4-1E Newfield will use, produce, store, transport or dispose less than the threshold planning quantity (T.P.Q.) of any extremely hazardous substances as defined in 40 CFR 355.

A complete copy of the approved APD, if applicable, shall be on location during the construction of the location and drilling activities.

Newfield Production Company or a contractor employed by Newfield Production shall contact the State office at (801) 722-3417, 48 hours prior to construction activities.

The State office as well as the Ute Tribe Energy and Mineral Department shall be notified upon site completion prior to moving on the drilling rig.

#### 13. <u>LESSEE'S OR OPERATOR'S REPRENSENTATIVE AND CERTIFICATION:</u>

#### Representative

Name:

Kim Kettle

Address:

Newfield Production Company

Route 3, Box 3630 Myton, UT 84052

Telephone:

(435) 646-3721

#### Certification

Please be advised that Newfield Production Company is considered to be the operator of well #11-35-4-1E, NE/SW Section 35, T4S, R1E, Uintah County, Utah and is responsible under the terms and conditions of the lease for the operations conducted upon the leased lands. Bond coverage is provided by US Specialty Insurance #B002792.

Ten Point Well Program
Thirteen Point Well Program
Page 13 of 13

I hereby certify that the proposed drill site and access route have been inspected, and I am familiar with the conditions which currently exist; that the statements made in this plan are true and correct to the best of my knowledge; and that the work associated with the operations proposed here will be performed by Newfield Production Company and its contractors and subcontractors in conformity with this plan and the terms and conditions under which it is approved. This statement is subject to the provisions of the 18 U.S.C. 1001 for the filing of a false statement.

9/19/07

Date

Mandie Crozier

Regulatory Specialist

**Newfield Production Company** 

# SELF-CERTIFICATION STATEMENT FROM LESSEE/OPERATOR

#### SURFACE OWNER IDENTIFICATION

Indian Lease No. 2OG0005609

I hereby certify to the Authorized Officer of the Bureau of Land Management that I have reached one of the following agreements with the Surface Owner; or after failure of my good-faith effort to come to an agreement of any kind with the Surface Owner, have provided a bond and will provide evidence of service of such bond to the Surface Owner:

1) \_\_\_\_\_X\_\_\_I have a signed access agreement to enter the leased lands;
2) \_\_\_\_X\_\_\_I have a signed waiver from the surface owner;

4) \_\_\_\_\_Because I have been unable to reach either 1), 2), or 3) with the surface owner, I have obtained a bond in accordance with the terms described in Onshore Order #1 (May 2007) and served the surface owner with a copy of the bond.

3) X I have entered into an agreement regarding compensation to the surface owner for

Surface owner information: (if available after diligent effort)

damages for loss of crops and tangible improvements.

Surface Owner Name: Rex and LaRue Lamb Trust, Karl Lamb (Trustee)

Surface Owner Address: PO Box 374, Myton Utah 84052

Surface Owner Phone Number: 1-435-722-3737

Surface Owner Email Address:

Signed this 15th day of August, 2007.

**Newfield Production Company** 

Ym Wm.

I, Karl Lamb trustee of Rex and LaRue Lamb Trust, accept \_\_\_\_\_ do not accept \_\_\_\_ the lessee or operator Surface Owner Agreement under 1, 2, or 3 above.

Signed this 15th day of August, 2007.

Karl Lamb, trustee of Rex and LaRue Lamb Trust

ATTACH LEGAL DESCRIPTION OF LANDS INVOLVED WITH DATED SIGNATURE(S)

RECEIVED SEP 2 7 2007

#### MEMORANDUM of EASEMENT, RIGHT-OF-WAY and SURFACE USE AGREEMENT

This Easement, Right-of-Way and Surface Use Agreement ("Agreement") is entered into this 22<sup>nd</sup> day of March, 2007 by and between Rex and LaRue Lamb Trust, Karl Lamb, trustee whose address is PO Box 374, Myton Utah 84052 ("Surface Owner," whether one or more) and Newfield Production Company, a Texas corporation ("NEWFIELD"), with offices at 1401 17<sup>th</sup> Street, Suite #1000, Denver, Colorado 80202, covering certain lands, (the "Lands") situated in Duchesne County, Utah described as follows:

Township 4 South, Range 1 East NWSE, NWSE, NESE, Lot 1, Lot 2, Lot 3, Lot 4 Sec 29 NWNE, NENW, NWNW, SENW, SWNE, SENE, Lot 1, Lot 2, Lot 3, Lot 4 Sec 34

Uintah County, Utah

being, 569 acres more or less,

and associated roads and pipeline routes beginning at each wellsite and traversing the lands as shall be agreed upon prior to the construction of same.

For and in consideration of the sum of ten dollars (\$10.00), and other valuable consideration, the receipt and sufficiency of which are hereby acknowledged, the undersigned hereby agree to the terms and provisions set forth as follows:

## 1. Compensation for Well; Release of All Claims

NEWFIELD shall pay to Surface Owner the sum as set forth in and according to the terms of that certain Letter Agreement for Easement, Right-of Way and Surface Use by and between Surface Owner and NEWFIELD, dated April 13, 2007, as full payment and satisfaction for any and all detriment, depreciation, injury or damage of any nature to the Lands or growing crops thereon that may occur as a result of NEWFIELD's drilling or completion operations or its continuing activities for the production or transportation of oil, gas, or other hydrocarbons or products associated with the foregoing including, but not limited to, surface use, access, pipelines, gathering lines, pipeline interconnections, and any and all other reasonable or customary uses of land related to said operations or activities.


## 2. Grant of Right of Way and Easement

Surface Owner hereby grants, bargains, leases, assigns, and conveys to NEWFIELD an easement and right-of-way for the purpose of construction, using and maintaining access roads, locations for surface equipment and subsurface gathering lines for each well drilled upon the Lands, pipelines, and pipeline interconnections for two years from date of this agreement and so long thereafter as NEWFIELD's oil and gas leases remain in effect.

This Agreement shall be binding upon the respective heirs, executors, administrators, successors, and assigns of the undersigned.


These Parties hereto have executed this document effective as of the day first above written.


REX AND LARUE LAMB TRUST	NEWFIELD PRODUCTION COMPANY
By: Karl Lamb, Trustee	By:Gary D. Packer, President




# NEWFIELD PRODUCTION COMPANY

# CROSS SECTIONS UTE TRIBAL 11-35-4-1









UNLESS OTHERWISE NOTED CUT SLOPES ARE AT 1:1 FILL SLOPES ARE AT 1.5:1


ESTIMATED EARTHWORK QUANTITIES
(No Shrink or swell adjustments have been used)

(Expressed in Cubic Yards)

ITEM	CUT	FILL	6" TOPSOIL	EXCESS
PAD	1,490	610	Topsoil is not included	880
PIT	640	0	in Pad Cut	640
TOTALS	2,130	610	940	1,520


SURVEYED BY: C.M.	DATE SURVEYED:	08-14-07
DRAWN BY: F.T.M.	DATE DRAWN:	08-23-07
SCALE: $1" = 50'$	REVISED:	


 $egin{array}{lll} egin{array}{lll} Tri & State & ^{(435)} & ^{781-2501} \ Land & Surveying, & Inc. \ \_ \ \_ \ \end{array}$  180 NORTH VERNAL AVE. VERNAL, UTAH 84078





# **Pewfield Production Company Proposed Site Facility Diagram**


Ute Tribal 11-35-4-1E NE/SW Sec. 35, T04S, R01E Uintah County, Utah















### 2-M SYSTEM

**Blowout Prevention Equipment Systems** 



**EXHIBIT C** 

● Exhibit "D"
lof2

CULTURAL RESOURCE INVENTORY OF NEWFIELD EXPLORATION'S PROPOSED WELL LOCATIONS: UTE TRIBAL #11-35-4-1E, #16-35-4-1E, #13-36-4-1E, #2-1-5-1, #3-1-5-1, #4-1-5-1, #12-6-5-2, #15-6-5-2, #2-7-5-2, #4-8-5-2, AND #5-8-5-2 UINTAH COUNTY, UTAH

By:

Jacki A. Montgomery

Prepared For:

State of Utah School and Institutional
Trust Lands Administration,
Bureau of Land Management
Vernal Field Office
and
Ute Indian Tribe
Uintah and Ouray Agency

Prepared Under Contract With:

Newfield Exploration Company Rt. 3 Box 3630 Myton, UT 84052

Submitted By:

Montgomery Archaeological Consultants, Inc. P.O. Box 219 Moab, Utah 84532

MOAC Report No. 07-312

September 7, 2007

United States Department of Interior (FLPMA)
Permit No. 07-UT-60122

State of Utah Public Lands Policy Archaeological Survey Permit No. 117

State of Utah Antiquities Project (Survey) Permit No. U-07-MQ-1103b,s,i,p

Ute Tribal Permit No. A07-363

# Paleontological Assessment Preliminary Report for Newfield Well 11-35-4S-1E and Associated Infrastructure

Uteland Butte Quad Uintah County, Utah

Prepared for


Newfield Exploration Company and Ute Indian Tribe

Prepared by

**SWCA Environmental Consultants** 

September 7, 2007

APD RECEIVED: 09/27/2007	API NO	ASSIGNED: 43-	047-39660			
WELL NAME: UTE TRIBAL 11-35-4-1E	_					
OPERATOR: NEWFIELD PRODUCTION ( N2695	) PHONE N	UMBER: 435-646-3	721			
CONTACT: MANDIE CROZIER	-					
PROPOSED LOCATION:	INSPECT	LOCATN BY:	/ /			
NESW 35 040S 010E SURFACE: 0769 FSL 1799 FWL	Tech Re	eview Initials	Date			
BOTTOM: 0769 FSL 1799 FWL	Engine	ering				
COUNTY: UINTAH	Geology	7				
LATITUDE: 40.09102 LONGITUDE: -109.8523  UTM SURF EASTINGS: 597840 NORTHINGS: 4438	280 Surface	2				
FIELD NAME: WINDY RIDGE ( 718	)					
LEASE TYPE: 2 - Indian  LEASE NUMBER: 20G0005609  SURFACE OWNER: 2 - Indian		D FORMATION: G	RRV IO			
RECEIVED AND/OR REVIEWED:	LOCATION AND S	SITING:				
Plat	R649-2-3.					
Bond: Fed[] Ind[2] Sta[] Fee[]	Unit:					
(No. <u>B002792</u> )	li	7				
Potash (Y/N)	R649-3-2. General					
Oil Shale 190-5 (B) or 190-3 or 190-13  Water Permit	Siting: 460 From Qtr/Qtr & 920' Between Wells R649-3-3. Exception					
(No. 43-10136 )		-				
RDCC Review (Y/N)	Drilling Unit Board Cause No:					
(Date:)	Eff Date					
MA Fee Surf Agreement (Y/N)	Siting:					
MM Intent to Commingle (Y/N)	R649-3-11	. Directional D	rill			
COMMENTS:						
STIPULATIONS:	beruch)					
2- Spacing &	368					







MICHAEL R. STYLER Executive Director

Division of Oil Gas and Mining

JOHN R. BAZA Division Director

October 1, 2007

Newfield Production Company Rt. #3, Box 3630 Myton, UT 84052

Re: Ute Tribal 11-35-4-1E Well, 769' FSL, 1799' FWL, NE SW, Sec. 35, T. 4 South,

R. 1 East, Uintah County, Utah

#### Gentlemen:

Pursuant to the provisions and requirements of Utah Code Ann. § 40-6-1 et seq., Utah Administrative Code R649-3-1 et seq., and the attached Conditions of Approval, approval to drill the referenced well is granted.

This approval shall expire one year from the above date unless substantial and continuous operation is underway, or a request for extension is made prior to the expiration date. The API identification number assigned to this well is 43-047-39660.

Sincerely,

Gil Hunt

**Associate Director** 

Hil That

pab Enclosures

cc: Uintah County Assessor

Bureau of Land Management, Vernal Office



Operator:	Newfield Production Company				
Well Name & Number	Ute Tribal 11-35-	4-1E			
<b>API Number:</b> 43-047-39660					
Lease:	2OG0005609				
Location: NE SW	<b>Sec.</b> 35	T. 4 South	<b>R.</b> 1 East		

#### **Conditions of Approval**

#### 1. General

Compliance with the requirements of Utah Admin. R. 649-1 *et seq.*, the Oil and Gas Conservation General Rules, and the applicable terms and provisions of the approved Application for permit to drill.

#### 2. Notification Requirements

Notify the Division within 24 hours of spudding the well.

• Contact Carol Daniels at (801) 538-5284.

Notify the Division prior to commencing operations to plug and abandon the well.

• Contact Dustin Doucet at (801) 538-5281 office (801) 733-0983 home

#### 3. Reporting Requirements

All required reports, forms and submittals will be promptly filed with the Division, including but not limited to the Entity Action Form (Form 6), Report of Water Encountered During Drilling (Form 7), Weekly Progress Reports for drilling and completion operations, and Sundry Notices and Reports on Wells requesting approval of change of plans or other operational actions.

- 4. State approval of this well does not supersede the required federal approval, which must be obtained prior to drilling.
- 5. This proposed well is located in an area for which drilling units (well spacing patterns) have not been established through an order of the Board of Oil, Gas and Mining (the "Board"). In order to avoid the possibility of waste or injury to correlative rights, the operator is requested, once the well has been drilled, completed, and has produced, to analyze geological and engineering data generated therefrom, as well as any similar data from surrounding areas if available. As soon as is practicable after completion of its analysis, and if the analysis suggests an area larger than the quarter-quarter section upon which the well is located is being drained, the operator is requested to seek an appropriate order from the Board establishing drilling and spacing units in conformance with such analysis by filing a Request for Agency Action with the Board.

Form 3160-3 (September 2001) 2007 SEP 26 PM 1; 52

FORM APPROVED OMB No. 1004-0136 Expires January 31, 2004

#### **UNITED STATES** DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

Lease Serial No. 2OG0005609

	CLIVIDIA					
APPLICATION FOR PERMIT TO DE		6 If Indian, Allottee or Tribe Name				
				Ute		
la. Type of Work: 🖾 DRILL 🔲 REENTEI				7. If Unit or CA Ag	reement, N	ame and No.
THE TYPE OF THE MEETING THE REENTED	N.			N/A		
		_		8. Lease Name and Well No.		
lb. Type of Well:  Oil Well  Gas Well  Other	× s	ingle Zone 🚨 Multip	ple Zone	Ute Tribal 11-3	35-4-1E	
2. Name of Operator			,	9. API Well No.	7	
Newfield Production Company		43 04	1 3	51660		
3a. Address		o. (include area code)		10. Field and Pool, or	Explorato	ry
Route #3 Box 3630, Myton UT 84052	(435	5) 646-3721		Monument B	utte	
4. Location of Well (Report location clearly and in accordance with	any State requ	irements.*)		11. Sec., T., R., M., o	r Blk. and	Survey or Area
At surface NE/SW 769' FSL 1799' FWL						
At proposed prod. zone				NE/SW Sec.	35, T4S	R1E
14. Distance in miles and direction from nearest town or post office*				12. County or Parish		13. State
Approximatley 25.5 miles southeast of Myton, Utah						UT
15. Distance from proposed*	5. Distance from proposed*  16. No. of Acres in lease  17. Spacing			ing Unit dedicated to this well		
location to nearest property or lease line, ft.	, ,					
(Also to nearest drig. unit line, if any) Approx. 479' f/lse, NA' f/unit	NA NA			40 Acres		
18. Distance from proposed location*	19. Propose	d Depth	20. BLM/E	1/BIA Bond No. on file		
to nearest well, drilling, completed, applied for, on this lease, ft.  NA		===		D000700		
••		50'		B002792		
21. Elevations (Show whether DF, KDB, RT, GL, etc.)		mate date work will star	rt*	23. Estimated duration		
4964' GL	1st Qua	rter 2008		Approximately seven (7) days from spud to rig release.		
	24. Atta					
The following, completed in accordance with the requirements of Onshor	e Oil and Gas	Order No.1, shall be atta	ached to this	form:		
Well plat certified by a registered surveyor.	i	A Bond to cover th	a operation	s unless covered by ar	avietine l	ond on file (see
A Drilling Plan.		Item 20 above).	ic operation	s uniess covered by an	i existing i	ond on the (see
3. A Surface Use Plan (if the location is on National Forest System )	Lands the	5. Operator certifica				
SUPO shall be filed with the appropriate Forest Service Office).	Dunius, une	<ol> <li>Such other site sauthorized officer</li> </ol>		rmation and/or plans	as may be	required by the
			1.			
25. Signatute		(Printed/Typed)			Date	
1 Kana Closen	¦ Man	die Crozier			9/19/0	07
Title Regulatory Specialist						,
Approved by (Signature)	Name	(Printed/Typed)			Date	
As There is a second		Teen Kenak	4		3-14	-2008
Title Total Teach	Office	Texes Kenal	n Asso			
Landa & Mineral Flecourses	1	The second second	- UTH	<b>75</b>		
				1.1 11 11	, .	

Application approval does not warrant or certify the the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.


Conditions of approval, if any, are attached.

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

\*(Instructions on reverse)



RECEIVED MAR 2 4 2008







#### UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT VERNAL FIELD OFFICE

VERNAL, UT 84078

(435) 781-4400



#### CONDITIONS OF APPROVAL FOR APPLICATION FOR PERMIT TO DRILL

Company:	Newfield Production (	Company	Location:		NESW, S	ec. 35, T4S, R1E
Well No:	<b>Ute Tribal 11-35-4-1E</b>		Lease No:		2OG0005	609
API No:	43-047-39660		Agreement	:	N/A	
Title		Name	Office	Pho	ne Number	<b>Cell Phone Number</b>
Petroleum E	ngineer:	Matt Baker	(4	35)	781-4490	(435) 828-4470
Petroleum E	ngineer:	Michael Lee	. (4	35) ′	781-4432	(435) 828-7875
Petroleum E	ngineer:	James Ashley	(4	35) ′	781-4470	(435) 828-7874
Petroleum E	ngineer:	Ryan Angus	(4	35)	781-4430	(435) 828-7368
Supervisory	Petroleum Technician:	Jamie Sparger	(4	35)	781-4502	(435) 828-3913
NRS/Enviro	Scientist:		(4	35)	781-4475	(435) 828-4029
Supervisory	NRS Enviro Scientist:	Karl Wright	(4	35)	781-4484	(435) 828-7381
NRS/Enviro	Scientist:	Holly Villa	(4	35)	781-4404	(435) 828-3544
NRS/Enviro	Scientist:		(4	35) ′	781 <b>-</b> 4476	,
NRS/Enviro	Scientist:	Chuck Macdonald	d (4	35)′	781-4441	(435) 828-7482
NRS/Enviro	Scientist:		(4	35)	781-3400	(435) 828-3544
NRS/Enviro	Scientist:	Michael Cutler	(4	35)	781-3401	(435) 828-3546
NRS/Enviro	Scientist:	Anna Figueroa	(4	35)′	781-3407	(435) 828-3548
NRS/Enviro	Scientist:	Verlyn Pindell	(4	35)	781-3402	(435) 828-3547
NRS/Enviro	Scientist:	Darren Williams	(4	35)	781-4447	(435) 828-4029
NRS/Enviro	Scientist:	Nathan Packer	(4	35)′	781-3405	(435) 828-3545
			•		781-3420	•

# A COPY OF THESE CONDITIONS SHALL BE FURNISHED TO YOUR FIELD REPRESENTATIVE TO INSURE COMPLIANCE

All lease and/or unit operations are to be conducted in such a manner that full compliance is made with the applicable laws, regulations (43 CFR Part 3160), and this approved Application for Permit to Drill including Surface and Downhole Conditions of Approval. The operator is considered fully responsible for the actions of his subcontractors. A copy of the approved APD must be on location during construction, drilling, and completion operations. This permit is approved for a two (2) year period, or until lease expiration, whichever occurs first. An additional extension, up to two (2) years, may be applied for by sundry notice prior to expiration.

#### NOTIFICATION REQUIREMENTS

The second secon	71110	TI II B 1 B ANC 1 B 1 111 (C 1)
Construction Activity	-	The Ute Tribe Energy & Minerals Dept. shall be notified in
		writing 48 hours in advance of any construction activity. The
		Ute Tribal office is open Monday through Thursday.
Construction Completion	-	Upon completion of the pertinent APD/ROW construction,
		notify the Ute Tribe Energy & Minerals Dept. for a Tribal
		Technician to verify the Affidavit of Completion.
Spud Notice		Twenty-Four (24) hours prior to spudding the well.
(Notify Petroleum Engineer)		
Casing String & Cementing	_	Twenty-Four (24) hours prior to running casing and cementing
(Notify Supv. Petroleum Tech.)		all casing strings.
BOP & Related Equipment Tests	_	Twenty-Four (24) hours prior to initiating pressure tests.
(Notify Supv. Petroleum Tech.)		
First Production Notice	-	Within Five (5) business days after new well begins or
(Notify Petroleum Engineer)		production resumes after well has been off production for more
		than ninety (90) days.

#### SURFACE USE PROGRAM CONDITIONS OF APPROVAL (COAs)

#### General Conditions of Approval

- A <u>50</u> foot corridor right-of-way shall be approved. Upon completion of each pipeline in corridor, they shall be identified and filed with the Ute Tribe.
- A qualified Archaeologist accompanied by a Tribal Technician will monitor trenching construction of pipeline.
- The Ute Tribe Energy & Minerals Department is to be notified, in writing 48 hours prior to construction of pipeline.
- Construction Notice shall be given to the department on the Ute Tribe workdays, which are Monday through Thursday. The Company understands that they may be responsible for costs incurred by the Ute Tribe after hours.
- The Company shall inform contractors to maintain construction of pipelines within the approved ROW's.
- The Company shall assure the Ute Tribe that "ALL CONTRACTORS, INCLUDING SUB-CONTRACTORS, LEASING CONTRACTORS, AND ETC." have acquired a current and valid Ute Tribal Business License and have "Access Permits" prior to construction, and will have these permits in all vehicles at all times.
- You are hereby notified that working under the "umbrella" of a company does not allow you to be in the field, and can be subject to those fines of the Ute Tribe Severance Tax Ordinance.
- Any deviation of submitted APD's and ROW applications the Companies will notify the Ute Tribe and BIA in writing and will receive written authorization of any such change with appropriate authorization.
- The Company will implement "Safety and Emergency Plan." The Company's safety director will ensure its compliance.
- All Company employees and/or authorized personnel (sub-contractors) in the field will have approved applicable APD's and/or ROW permits/authorizations on their person(s) during all phases of construction.
- All vehicular traffic, personnel movement, construction/restoration operations shall be confined to the area examined and approved, and to the existing roadways and/or evaluated access routes.
- All personnel shall refrain from collecting artifacts, any paleontological fossils, and from

Page 3 of 8 Well: Ute Tribal 11-35-4-1E 3/18/2008

disturbing any significant cultural resources in the area.

- The personnel from the Ute Tribe Energy & Minerals Department shall be notified should cultural remains from subsurface deposits be exposed or identified during construction. All construction will cease.
- All mitigative stipulations contained in the Bureau of Indian Affairs Site Specific Environmental Assessment (EA) will be strictly adhered.
- Upon completion of Application for Corridor Right-Way, the company will notify the Ute Tribe Energy & Minerals Department, so that a Tribal Technician can verify Affidavit of Completion.

#### ADDITIONAL CONDITIONS OF APPROVAL:

- ➤ Burrowing owl survey if construction is to take place between March 15 August 15.
- Paint tanks and equipment Carlsbad Canyon.
- > For any other additional stipulations, see concurrence letter.

#### DOWNHOLE PROGRAM CONDITIONS OF APPROVAL (COAs)

#### SITE SPECIFIC DOWNHOLE COAs:

• Logging: Run gamma ray and electric logs from TD to surface casing.

All provisions outlined in Onshore Oil & Gas Order #2 Drilling Operations shall be strictly adhered to. The following items are emphasized:

#### DRILLING/COMPLETION/PRODUCING OPERATING STANDARDS

- The spud date and time shall be reported orally to Vernal Field Office within 24 hours of spudding.
- Notify Vernal Field Office Supervisory Petroleum Engineering Technician at least 24 hours in advance of casing cementing operations and BOPE & casing pressure tests.
- All requirements listed in Onshore Order #2 III. E. Special Drilling Operations are applicable for air drilling of surface hole.
- Blowout prevention equipment (BOPE) shall remain in use until the well is completed or abandoned. Closing unit controls shall remain unobstructed and readily accessible at all times. Choke manifolds shall be located outside of the rig substructure.
- All BOPE components shall be inspected daily and those inspections shall be recorded in the
  daily drilling report. Components shall be operated and tested as required by Onshore Oil & Gas
  Order No. 2 to insure good mechanical working order. All BOPE pressure tests shall be
  performed by a test pump with a chart recorder and <u>NOT</u> by the rig pumps. Test shall be
  reported in the driller's log.
- BOP drills shall be initially conducted by each drilling crew within 24 hours of drilling out from under the surface casing and weekly thereafter as specified in Onshore Oil & Gas Order No. 2.
- Casing pressure tests are required before drilling out from under all casing strings set and cemented in place.
- No aggressive/fresh hard-banded drill pipe shall be used within casing.
- Cement baskets shall not be run on surface casing.
- The operator must report all shows of water or water-bearing sands to the BLM. If flowing water is encountered it must be sampled, analyzed, and a copy of the analyses submitted to the BLM Vernal Field Office.

Page 5 of 8 Well: Ute Tribal 11-35-4-1E 3/18/2008

- The operator must report encounters of all non oil & gas mineral resources (such as Gilsonite, tar sands, oil shale, trona, etc.) to the Vernal Field Office, in writing, within 5 working days of each encounter. Each report shall include the well name/number, well location, date and depth (from KB or GL) of encounter, vertical footage of the encounter and, the name of the person making the report (along with a telephone number) should the BLM need to obtain additional information.
- A complete set of angular deviation and directional surveys of a directional well will be submitted to the Vernal BLM office engineer within 30 days of the completion of the well.
- While actively drilling, chronologic drilling progress reports shall be filed directly with the BLM, Vernal Field Office on a weekly basis in sundry, letter format or e-mail to the Petroleum Engineers until the well is completed.
- A cement bond log (CBL) will be run from the production casing shoe to the <u>top of cement</u> and shall be utilized to determine the bond quality for the production casing. Submit a field copy of the CBL to this office.
- Please submit an electronic copy of all other logs run on this well in LAS format to UT\_VN\_Welllogs@BLM.gov. This submission will supersede the requirement for submittal of paper logs to the BLM.
- There shall be no deviation from the proposed drilling, completion, and/or workover program as approved. Safe drilling and operating practices must be observed. Any changes in operation must have prior approval from the BLM Vernal Field Office.

#### **OPERATING REQUIREMENT REMINDERS:**

- All wells, whether drilling, producing, suspended, or abandoned, shall be identified in accordance with 43 CFR 3162.6. There shall be a sign or marker with the name of the operator, lease serial number, well number, and surveyed description of the well.
- In accordance with 43 CFR 3162.4-3, this well shall be reported on the "Monthly Report of Operations" (Oil and Gas Operations Report ((OGOR)) starting with the month in which operations commence and continue each month until the well is physically plugged and abandoned. This report shall be filed in duplicate, directly with the Minerals Management Service, P.O. Box 17110, Denver, Colorado 80217-0110, or call 1-800-525-7922 (303) 231-3650 for reporting information.
- Should the well be successfully completed for production, the BLM Vernal Field office must be notified when it is placed in a producing status. Such notification will be by written communication and must be received in this office by not later than the fifth business day following the date on which the well is placed on production. The notification shall provide, as a minimum, the following informational items:
  - Operator name, address, and telephone number.
  - Well name and number.
  - o Well location (1/41/4, Sec., Twn, Rng, and P.M.).
  - Date well was placed in a producing status (date of first production for which royalty will be paid).
  - o The nature of the well's production, (i.e., crude oil, or crude oil and casing head gas, or natural gas and entrained liquid hydrocarbons).
  - o The Federal or Indian lease prefix and number on which the well is located; otherwise the non-Federal or non-Indian land category, i.e., State or private.
  - o Unit agreement and/or participating area name and number, if applicable.
  - o Communitization agreement number, if applicable.
- Any venting or flaring of gas shall be done in accordance with Notice to Lessees (NTL) 4A and needs prior approval from the BLM Vernal Field Office.
- All undesirable events (fires, accidents, blowouts, spills, discharges) as specified in NTL 3A will be reported to the BLM, Vernal Field Office. Major events, as defined in NTL3A, shall be reported verbally within 24 hours, followed by a written report within 15 days. "Other than Major Events" will be reported in writing within 15 days. "Minor Events" will be reported on the Monthly Report of Operations and Production.

- Whether the well is completed as a dry hole or as a producer, "Well Completion and Recompletion Report and Log" (BLM Form 3160-4) shall be submitted not later than 30 days after completion of the well or after completion of operations being performed, in accordance with 43 CFR 3162.4-1. Two copies of all logs run, core descriptions, and all other surveys or data obtained and compiled during the drilling, workover, and/or completion operations, shall be filed on BLM Form 3160-4. Submit with the well completion report a geologic report including, at a minimum, formation tops, and a summary and conclusions. Also include deviation surveys, sample descriptions, strip logs, core data, drill stem test data, and results of production tests if performed. Samples (cuttings, fluid, and/or gas) shall be submitted only when requested by the BLM, Vernal Field Office.
- All off-lease storage, off-lease measurement, or commingling on-lease or off-lease, shall have prior written approval from the BLM Vernal Field Office.
- Oil and gas meters shall be calibrated in place prior to any deliveries. The BLM Vernal Field Office Petroleum Engineers will be provided with a date and time for the initial meter calibration and all future meter proving schedules. A copy of the meter calibration reports shall be submitted to the BLM Vernal Field Office. All measurement facilities will conform to the API standards for liquid hydrocarbons and the AGA standards for natural gas measurement. All measurement points shall be identified as the point of sale or allocation for royalty purposes.
- A schematic facilities diagram as required by Onshore Oil & Gas Order No. 3 shall be submitted to the BLM Vernal Field Office within 30 days of installation or first production, whichever occurs first. All site security regulations as specified in Onshore Oil & Gas Order No. 3 shall be adhered to. All product lines entering and leaving hydrocarbon storage tanks will be effectively sealed in accordance with Onshore Oil & Gas Order No. 3.
- Any additional construction, reconstruction, or alterations of facilities, including roads, gathering lines, batteries, etc., which will result in the disturbance of new ground, shall require the filing of a suitable plan and need prior approval of the BLM Vernal Field Office. Emergency approval may be obtained orally, but such approval does not waive the written report requirement.
- No location shall be constructed or moved, no well shall be plugged, and no drilling or workover
  equipment shall be removed from a well to be placed in a suspended status without prior
  approval of the BLM Vernal Field Office. If operations are to be suspended for more than 30
  days, prior approval of the BLM Vernal Field Office shall be obtained and notification given
  before resumption of operations.
- Pursuant to Onshore Oil & Gas Order No. 7, this is authorization for pit disposal of water produced from this well for a period of 90 days from the date of initial production. A permanent disposal method must be approved by this office and in operation prior to the end of this 90-day period. In order to meet this deadline, an application for the proposed permanent disposal method shall be submitted along with any necessary water analyses, as soon as possible, but no later than 45 days after the date of first production. Any method of disposal which has not been approved prior to the end of the authorized 90-day period will be considered as an Incident of Noncompliance and will be grounds for issuing a shut-in order until an acceptable manner for disposing of said water is provided and approved by this office.

Page 8 of 8 Well: Ute Tribal 11-35-4-1E 3/18/2008

• Unless the plugging is to take place immediately upon receipt of oral approval, the Field Office Petroleum Engineers must be notified at least 24 hours in advance of the plugging of the well, in order that a representative may witness plugging operations. If a well is suspended or abandoned, all pits must be fenced immediately until they are backfilled. The "Subsequent Report of Abandonment" (Form BLM 3160-5) must be submitted within 30 days after the actual plugging of the well bore, showing location of plugs, amount of cement in each, and amount of casing left in hole, and the current status of the surface restoration.

FORM 3160-5 (June 1990)

CC: Utah DOGM

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31 1993

Do not use this form for proposals to drill or to dee  Use "APPLICATION F  SUBMIT IN  1. Type of Well	OR PERMIT -" for such proposals  TRIPLICATE	5. Lease Designation and Serial No.  20G0005609  6. If Indian, Allottee or Tribe Name  NA  7. If Unit or CA, Agreement Designation  NA  8. Well Name and No.  UTE TRIBAL 11-35-4-1E  9. API Well No.  43-047-39660  10. Field and Pool, or Exploratory Area  UNDESIGNATED  11. County or Parish, State
769 FSL 1799 FWL NE/SW Section	n 35, T4S R1E	UINTAH COUNTY, UT.
	TO INDICATE NATURE OF NOTICE, REPO	
TYPE OF SUBMISSION	TYPE O	FACTION
X Notice of Intent  Subsequent Report  Final Abandonment Notice	Abandonment Recompletion Plugging Back Casing Repair Altering Casing X Other Permit Extension	Change of Plans New Construction Non-Routine Fracturing Water Shut-Off Conversion to Injection Dispose Water (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)
13. Describe Proposed or Completed Operations (Clearly state all pertinent details ally drilled, give subsurface locations and measured and true vertical depths  Newfield Production Company requestions.)	for all markers and zones pertinent to this work.)*	
	Approved by the Utah Division of Oil, Gas and Mining	
COPY SENT TO OPERATOR  Date: 10 · 2 · 2008  Initials:   VS	Date: 09-30-06  By:	RECEIVED SEP 2 9 2008 DIV. OF OIL, GAS & MINING
14. I hereby certify that the foregoing is true and correct Signed  Mandie Crozier  CC: UTAH DOGM	Title Regulatory Specialist	Date 9/26/2008
(This space for Federal or State office use)  Approved by  Conditions of approval, if any:	Title	Date



# Application for Permit to Drill Request for Permit Extension Validation

(this form should accompany the Sundry Notice requesting permit extension)

API: 43-047-39660 Well Name: Ute Tribal 11-35-4-1E Location: NE/SW Section 35,T4S R1E Company Permit Issued to: Newfield Production Compan Date Original Permit Issued: 10/1/2007	y
The undersigned as owner with legal rights to drill on the above, hereby verifies that the information as submitted approved application to drill, remains valid and does not	in the previously
Following is a checklist of some items related to the app verified.	lication, which should be
If located on private land, has the ownership changed, if agreement been updated? Yes ☐ No ☑	so, has the surface
Have any wells been drilled in the vicinity of the propose the spacing or siting requirements for this location? Yes	
Has there been any unit or other agreements put in place permitting or operation of this proposed well? Yes□ No.	
Have there been any changes to the access route include of-way, which could affect the proposed location? Yes □	• •
Has the approved source of water for drilling changed?	Yes□Noเ
Have there been any physical changes to the surface lowhich will require a change in plans from what was discrevaluation? Yes□No☑	
Is bonding still in place, which covers this proposed well	? Yes ☑ No □
Mandie Crosin Signature	9/26/2008 Date
Title: Regulatory Specialist	
Representing: Newfield Production Company	RECEIV

			FORM 9	
	STATE OF UTAH		FORM 9	
	DEPARTMENT OF NATURAL RESOURCE DIVISION OF OIL, GAS, AND MIN		5.LEASE DESIGNATION AND SERIAL NUMBER: 20G0005609	
SUND	6. IF INDIAN, ALLOTTEE OR TRIBE NAME: UTE			
	sals to drill new wells, significantly deepen ugged wells, or to drill horizontal laterals. Us		7.UNIT or CA AGREEMENT NAME:	
1. TYPE OF WELL Oil Well			8. WELL NAME and NUMBER: UTE TRIBAL 11-35-4-1E	
2. NAME OF OPERATOR: NEWFIELD PRODUCTION COM	1PANY		9. API NUMBER: 43047396600000	
3. ADDRESS OF OPERATOR: Rt 3 Box 3630 , Myton, UT, 84	435 646-4825 Ext	PHONE NUMBER:	9. FIELD and POOL or WILDCAT: WINDY RIDGE	
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0769 FSL 1799 FWL			COUNTY: UINTAH	
QTR/QTR, SECTION, TOWNSHI Qtr/Qtr: NESW Section: 35	IP, RANGE, MERIDIAN: Township: 04.0S Range: 01.0E Meridian: U	J	STATE: UTAH	
11. CHE	CK APPROPRIATE BOXES TO INDICAT	E NATURE OF NOTICE, REPORT,	OR OTHER DATA	
TYPE OF SUBMISSION		TYPE OF ACTION		
	ACIDIZE	ALTER CASING	CASING REPAIR	
NOTICE OF INTENT Approximate date work will start:	☐ CHANGE TO PREVIOUS PLANS	☐ CHANGE TUBING	CHANGE WELL NAME	
9/11/2009	☐ CHANGE WELL STATUS	☐ COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE	
	DEEPEN	FRACTURE TREAT	NEW CONSTRUCTION	
SUBSEQUENT REPORT Date of Work Completion:	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK	
	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION	
SPUD REPORT	_			
Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON	
	TUBING REPAIR		☐ WATER DISPOSAL	
DRILLING REPORT Report Date:	WATER SHUTOFF	SI TA STATUS EXTENSION	✓ APD EXTENSION	
1	☐ WILDCAT WELL DETERMINATION	OTHER	OTHER:	
12. DESCRIBE PROPOSED OR CO	 DMPLETED OPERATIONS. Clearly show all pert	inent details including dates, depths, v	volumes, etc.	
Newfield Production	requests to extend the permi	t to drill this well for one		
	more year.		Approved by the	
			Utah Division of	
			Oil, Gas and Mining	
		ь	September 14, 2009	
			00 cul M	
		E	V: Delly July	
NAME (PLEASE PRINT)	PHONE NUMBER	TITLE		
Mandie Crozier	435 646-4825	Regulatory Tech		
SIGNATURE		DATE 0/11/2000		
N/A		9/11/2009		



#### The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

**Electronic Permitting System - Sundry Notices** 

#### Request for Permit Extension Validation Well Number 43047396600000

**API:** 43047396600000

Well Name: UTE TRIBAL 11-35-4-1E

Location: 0769 FSL 1799 FWL QTR NESW SEC 35 TWNP 040S RNG 010E MER U

Company Permit Issued to: NEWFIELD PRODUCTION COMPANY

**Date Original Permit Issued:** 10/1/2007

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not

ire revi	sion. Following is a c	hecklist of	f some items related to the	e application, w	thich should be verified.
	ated on private land, ed? 问 Yes 📵 No		wnership changed, if so, h	as the surface a	agreement been
	any wells been drille requirements for thi		cinity of the proposed wel ? 🕡 Yes 📵 No	ll which would a	affect the spacing or
	nere been any unit or s proposed well?		reements put in place that No	could affect th	e permitting or operation
	there been any chang the proposed location		access route including ow es  ® No	nership, or rigl	ntof- way, which could
• Has th	ne approved source o	of water fo	or drilling changed? 🔘 Y	'es 📵 No	
			es to the surface location ussed at the onsite evalua		
• Is bor	nding still in place, w	hich cover	rs this proposed well? 🌘	Yes 📗 No	Approved by the Utah Division of I, Gas and Mining
nature:	Mandie Crozier	Date:	9/11/2009		
Title:	Regulatory Tech Repu	esenting:	NEWFIELD PRODUCTION CO	OMPANY Date:	September 14, 2009

Sig

STATE OF UTAH			FORM 9
	DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING	3	5.LEASE DESIGNATION AND SERIAL NUMBER: 20G0005609
	I WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME: UTE	
Do not use this form for proposition-hole depth, reenter plu DRILL form for such proposals.	sals to drill new wells, significantly deepen exist gged wells, or to drill horizontal laterals. Use A	ting wells below current PPLICATION FOR PERMIT TO	7.UNIT or CA AGREEMENT NAME:
1. TYPE OF WELL Oil Well			8. WELL NAME and NUMBER: UTE TRIBAL 11-35-4-1E
2. NAME OF OPERATOR: NEWFIELD PRODUCTION COM	PANY		9. API NUMBER: 43047396600000
3. ADDRESS OF OPERATOR: Rt 3 Box 3630 , Myton, UT, 84	4052 435 646-4825 Ext	UMBER:	9. FIELD and POOL or WILDCAT: WINDY RIDGE
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0769 FSL 1799 FWL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSHI Qtr/Qtr: NESW Section: 35	Township: 04.0S Range: 01.0E Meridian: U		STATE: UTAH
11. CHE	CK APPROPRIATE BOXES TO INDICATE N	ATURE OF NOTICE, REPORT,	OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
l .	CHANGE TO PREVIOUS PLANS  CHANGE WELL STATUS  DEEPEN  OPERATOR CHANGE  PRODUCTION START OR RESUME  REPERFORATE CURRENT FORMATION  TUBING REPAIR  WATER SHUTOFF	to Drill this well for one	·
NAME (PLEASE PRINT) Mandie Crozier	PHONE NUMBER	TITLE Regulatory Tech	
SIGNATURE N/A	435 646-4825	DATE 9/24/2010	



Sig

#### The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

**Electronic Permitting System - Sundry Notices** 

#### Request for Permit Extension Validation Well Number 43047396600000

**API:** 43047396600000

Well Name: UTE TRIBAL 11-35-4-1E

Location: 0769 FSL 1799 FWL QTR NESW SEC 35 TWNP 040S RNG 010E MER U

Company Permit Issued to: NEWFIELD PRODUCTION COMPANY

**Date Original Permit Issued:** 10/1/2007

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

ille levis	sion. Following is a che	CKIISL U	i some items related to the	e application, v	willen siloulu be verilleu.
	ated on private land, ha ed? 🔵 Yes 🌘 No	s the o	wnership changed, if so, h	as the surface	agreement been
	any wells been drilled in requirements for this le		icinity of the proposed wel ? 🔵 Yes 📵 No	l which would	affect the spacing or
	nere been any unit or ot s proposed well?		reements put in place that No	could affect th	ne permitting or operation
	there been any changes the proposed location?		access route including ow es  No	nership, or rig	htof- way, which could
• Has th	ne approved source of w	ater fo	or drilling changed? 🔘 Y	es 📵 No	
			es to the surface location of ussed at the onsite evaluation		e which will require a No
• Is bon	nding still in place, whic	h cove	rs this proposed well? 🌘	Yes 🔵 No	Approved by the Utah Division of il, Gas and Mining
nature:	Mandie Crozier	Date:	9/24/2010		
Title:	Regulatory Tech Represe		NEWFIELD PRODUCTION CO	MPANY Date:	September 29, 2010
	•	_		1	- ( N I)

\_

Sundry Number: 18220 API Well Number: 43047396600000

	STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES		FORM 9
	NG	<b>5.LEASE DESIGNATION AND SERIAL NUMBER:</b> 20G0005609	
	N WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME: UTE	
	sals to drill new wells, significantly deepen ex ugged wells, or to drill horizontal laterals. Use		7.UNIT or CA AGREEMENT NAME:
1. TYPE OF WELL Oil Well			8. WELL NAME and NUMBER: UTE TRIBAL 11-35-4-1E
2. NAME OF OPERATOR: NEWFIELD PRODUCTION COM	IPANY		9. API NUMBER: 43047396600000
3. ADDRESS OF OPERATOR: Rt 3 Box 3630 , Myton, UT, 84		NUMBER:	9. FIELD and POOL or WILDCAT: WINDY RIDGE
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0769 FSL 1799 FWL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSHI Qtr/Qtr: NESW Section: 35	IP, RANGE, MERIDIAN: Township: 04.0S Range: 01.0E Meridian: U		STATE: UTAH
11. CHE	CK APPROPRIATE BOXES TO INDICATE	NATURE OF NOTICE, REPORT,	OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	☐ ACIDIZE ☐	ALTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
10/1/2011	☐ CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT	☐ DEEPEN ☐	FRACTURE TREAT	☐ NEW CONSTRUCTION
Date of Work Completion:	OPERATOR CHANGE	PLUG AND ABANDON	☐ PLUG BACK
	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
SPUD REPORT Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	☐ TEMPORARY ABANDON
	☐ TUBING REPAIR ☐	VENT OR FLARE	☐ WATER DISPOSAL
DRILLING REPORT	□ WATER SHUTOFF □	SI TA STATUS EXTENSION	✓ APD EXTENSION
Report Date:		OTHER	OTHER:
		•	<u></u>
	OMPLETED OPERATIONS. Clearly show all pertine extend the Application for Perm		•
Trewileid proposes to	year.	ic to Dim this Well for on	
	·		Approved by the
			Utah Division of Oil, Gas and Mining
		D	Pate: 09/07/2011
		_	8 no cut 100
		В	iy: Down from
			4.5
NAME (PLEASE PRINT)	PHONE NUMBER	TITLE	
Mandie Crozier	435 646-4825	Regulatory Tech	
SIGNATURE N/A		<b>DATE</b> 9/6/2011	

Sundry Number: 18220 API Well Number: 43047396600000



#### The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

**Electronic Permitting System - Sundry Notices** 

### Request for Permit Extension Validation Well Number 43047396600000

**API:** 43047396600000

Well Name: UTE TRIBAL 11-35-4-1E

Location: 0769 FSL 1799 FWL QTR NESW SEC 35 TWNP 040S RNG 010E MER U

Company Permit Issued to: NEWFIELD PRODUCTION COMPANY

**Date Original Permit Issued:** 10/1/2007

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

<ul> <li>If located on private land, has the ownership changed, if so, has the surface agreement been updated? Yes </li> <li>No</li> </ul>
<ul> <li>Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location?</li> <li>Yes</li> <li>No</li> </ul>
<ul> <li>Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well?</li> <li>Yes</li> <li>No</li> </ul>
<ul> <li>Have there been any changes to the access route including ownership, or rightof- way, which could affect the proposed location?</li> <li>Yes </li> <li>No</li> </ul>
• Has the approved source of water for drilling changed?   Yes   No
<ul> <li>Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation?</li> <li>Yes</li> <li>No</li> </ul>
• Is bonding still in place, which covers this proposed well?   Yes   No

**Signature:** Mandie Crozier **Date:** 9/6/2011

Title: Regulatory Tech Representing: NEWFIELD PRODUCTION COMPANY

Sundry Number: 29448 API Well Number: 43047396600000

	STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES		FORM 9
ı	i	5.LEASE DESIGNATION AND SERIAL NUMBER: 20G0005609	
SUNDR	6. IF INDIAN, ALLOTTEE OR TRIBE NAME: UTE		
	posals to drill new wells, significantly deep reenter plugged wells, or to drill horizontal I n for such proposals.		7.UNIT or CA AGREEMENT NAME:
1. TYPE OF WELL Oil Well			8. WELL NAME and NUMBER: UTE TRIBAL 11-35-4-1E
2. NAME OF OPERATOR: NEWFIELD PRODUCTION CO	DMPANY		9. API NUMBER: 43047396600000
3. ADDRESS OF OPERATOR: Rt 3 Box 3630 , Myton, UT		NE NUMBER: t	9. FIELD and POOL or WILDCAT: WINDY RIDGE
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0769 FSL 1799 FWL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH	HIP, RANGE, MERIDIAN: 35 Township: 04.0S Range: 01.0E Meridian:	U	STATE: UTAH
11. CHECI	K APPROPRIATE BOXES TO INDICATE NA	ATURE OF NOTICE, REPOR	T, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	CHANGE TO PREVIOUS PLANS  CHANGE WELL STATUS  DEEPEN  OPERATOR CHANGE  PRODUCTION START OR RESUME  REPERFORATE CURRENT FORMATION  TUBING REPAIR  WATER SHUTOFF		CASING REPAIR  CHANGE WELL NAME  CONVERT WELL TYPE  NEW CONSTRUCTION  PLUG BACK  RECOMPLETE DIFFERENT FORMATION  TEMPORARY ABANDON  WATER DISPOSAL  ✓ APD EXTENSION  OTHER:  PLUA DIVISION OF  Oil, Gas and Mining  Date: September 13, 2012  By:
NAME (PLEASE PRINT)	PHONE NUMBER	TITLE Regulatory Tech	
Mandie Crozier  SIGNATURE N/A	435 646-4825	Regulatory Tech  DATE 8/31/2012	

Sundry Number: 29448 API Well Number: 43047396600000



#### The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

**Electronic Permitting System - Sundry Notices** 

#### Request for Permit Extension Validation Well Number 43047396600000

**API:** 43047396600000 **Well Name:** UTE TRIBAL 11-35-4-1E

Location: 0769 FSL 1799 FWL QTR NESW SEC 35 TWNP 040S RNG 010E MER U

Company Permit Issued to: NEWFIELD PRODUCTION COMPANY

Date Original Permit Issued: 10/1/2007

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

Tollowing is a checklist of some items related to the application, which should be verified.
• If located on private land, has the ownership changed, if so, has the surface agreement been updated? Yes 📵 No
<ul> <li>Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location?</li> <li>Yes</li> <li>No</li> </ul>
<ul> <li>Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well?</li> <li>Yes</li> <li>No</li> </ul>
<ul> <li>Have there been any changes to the access route including ownership, or rightof- way, which could affect the proposed location?</li> <li>Yes</li> <li>No</li> </ul>
• Has the approved source of water for drilling changed? 🔵 Yes 🌘 No
<ul> <li>Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation?</li> <li>Yes</li> <li>No</li> </ul>
• Is bonding still in place, which covers this proposed well? 🌘 Yes 🔘 No
Signature: Mandie Crozier Date: 8/31/2012

Sundry Number: 42267 API Well Number: 43047396600000

			FORM 9
STATE OF UTAH			FORM 9
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING			5.LEASE DESIGNATION AND SERIAL NUMBER: 2OG0005609
SUNDRY NOTICES AND REPORTS ON WELLS			6. IF INDIAN, ALLOTTEE OR TRIBE NAME: UTE
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.		7.UNIT or CA AGREEMENT NAME:	
1. TYPE OF WELL Oil Well			8. WELL NAME and NUMBER: UTE TRIBAL 11-35-4-1E
2. NAME OF OPERATOR: NEWFIELD PRODUCTION COMPANY		9. API NUMBER: 43047396600000	
<b>3. ADDRESS OF OPERATOR:</b> Rt 3 Box 3630 , Myton, UT, 84052  435 646-4825 Ext			9. FIELD and POOL or WILDCAT: WINDY RIDGE
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0769 FSL 1799 FWL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: Qtr/Qtr: NESW Section: 35 Township: 04.0S Range: 01.0E Meridian: U		n: U	STATE: UTAH
11. CHEC	K APPROPRIATE BOXES TO INDICATE	NATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	ACIDIZE	ALTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
10/1/2013	Change well status	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
		1	
SUBSEQUENT REPORT Date of Work Completion:	L DEEPEN L	FRACTURE TREAT	☐ NEW CONSTRUCTION
	OPERATOR CHANGE	PLUG AND ABANDON	☐ PLUG BACK
SPUD REPORT	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON
	TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL
DRILLING REPORT Report Date:	WATER SHUTOFF	SI TA STATUS EXTENSION	✓ APD EXTENSION
Report Date:	WILDCAT WELL DETERMINATION	OTHER	OTHER:
12 DESCRIBE PROPOSED OR	COMPLETED OPERATIONS. Clearly show all	nertinent details including dates	Sanths valumes atc
I .	to extend the Application for F		Approved by the
	for one year.		Utah Division of
	•		Oil, Gas and Mining
			Date: September 12, 2013
			Di 112200 F
			By:
NAME (DI EAGE ESTITE)	<b></b>		
NAME (PLEASE PRINT) Mandie Crozier	<b>PHONE NUMBER</b> 435 646-4825	TITLE Regulatory Tech	
SIGNATURE		DATE	
N/A		9/5/2013	

Sundry Number: 42267 API Well Number: 43047396600000



#### The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

**Electronic Permitting System - Sundry Notices** 

#### Request for Permit Extension Validation Well Number 43047396600000

API: 43047396600000 Well Name: UTE TRIBAL 11-35-4-1E

Location: 0769 FSL 1799 FWL QTR NESW SEC 35 TWNP 040S RNG 010E MER U

Company Permit Issued to: NEWFIELD PRODUCTION COMPANY

Date Original Permit Issued: 10/1/2007

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

owning i	o a oncommot or come no	mo related to the application, which endula be verified.
	eated on private land, ha	is the ownership changed, if so, has the surface agreement been updated? 🔘
	e any wells been drilled i irements for this locatio	in the vicinity of the proposed well which would affect the spacing or siting on?  Yes  No
	there been any unit or o osed well? 🔵 Yes 傾	other agreements put in place that could affect the permitting or operation of thi No
	e there been any change osed location? \(\hightarrow\) Yes	es to the access route including ownership, or rightof- way, which could affect the s
• Has	the approved source of	water for drilling changed? 🔘 Yes 🌘 No
		al changes to the surface location or access route which will require a change in sed at the onsite evaluation?  Yes  No
• Is bo	onding still in place, which	ch covers this proposed well? 🃵 Yes 🔘 No
nature:	Mandie Crozier	Date: 9/5/2013

Sig

Title: Regulatory Tech Representing: NEWFIELD PRODUCTION COMPANY

Sundry Number: 55246 API Well Number: 43047396600000

			FORM 9
STATE OF UTAH			
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING			5.LEASE DESIGNATION AND SERIAL NUMBER: 20G0005609
SUNDRY NOTICES AND REPORTS ON WELLS			6. IF INDIAN, ALLOTTEE OR TRIBE NAME: UTE
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.		7.UNIT or CA AGREEMENT NAME:	
1. TYPE OF WELL Oil Well			8. WELL NAME and NUMBER: UTE TRIBAL 11-35-4-1E
2. NAME OF OPERATOR: NEWFIELD PRODUCTION COMPANY			<b>9. API NUMBER:</b> 43047396600000
3. ADDRESS OF OPERATOR: PHONE NUMBER: Rt 3 Box 3630 , Myton, UT, 84052 435 646-4825 Ext		9. FIELD and POOL or WILDCAT: WINDY RIDGE	
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0769 FSL 1799 FWL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: Qtr/Qtr: NESW Section: 35 Township: 04.0S Range: 01.0E Meridian: U		ı: U	STATE: UTAH
11. CHEC	K APPROPRIATE BOXES TO INDICATE I	NATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	ACIDIZE	ALTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
10/1/2014	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	L DEEPEN L	FRACTURE TREAT	☐ NEW CONSTRUCTION
	OPERATOR CHANGE	PLUG AND ABANDON	L PLUG BACK
SPUD REPORT	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON
	TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL
DRILLING REPORT Report Date:	WATER SHUTOFF	SI TA STATUS EXTENSION	✓ APD EXTENSION
Nopon Suio.	WILDCAT WELL DETERMINATION	OTHER	OTHER:
12. DESCRIBE PROPOSED OR	COMPLETED OPERATIONS. Clearly show all p	ertinent details including dates, d	lepths, volumes, etc.
I .	to extend the Application for P		Approved by the
			Useptember 15, f2014
			Oil, Gas and Mining
			Date:
			By: Dasgill
NAME (PLEASE PRINT) Mandie Crozier	<b>PHONE NUMBER</b> 435 646-4825	TITLE Regulatory Tech	
SIGNATURE N/A		<b>DATE</b> 9/5/2014	

Sundry Number: 55246 API Well Number: 43047396600000



#### The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

**Electronic Permitting System - Sundry Notices** 

#### Request for Permit Extension Validation Well Number 43047396600000

**API:** 43047396600000 **Well Name:** UTE TRIBAL 11-35-4-1E

Title: Regulatory Tech Representing: NEWFIELD PRODUCTION COMPANY

Location: 0769 FSL 1799 FWL QTR NESW SEC 35 TWNP 040S RNG 010E MER U

Company Permit Issued to: NEWFIELD PRODUCTION COMPANY

Date Original Permit Issued: 10/1/2007

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

i onowing to a onocknot of come from foliated to the application, which cheat be verified.
• If located on private land, has the ownership changed, if so, has the surface agreement been updated?  Yes  No
<ul> <li>Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location?</li> <li>Yes</li> <li>No</li> </ul>
<ul> <li>Has there been any unit or other agreements put in place that could affect the permitting or operation of thi proposed well?</li> <li>Yes</li> <li>No</li> </ul>
<ul> <li>Have there been any changes to the access route including ownership, or rightof- way, which could affect the proposed location?</li> <li>Yes</li> <li>No</li> </ul>
• Has the approved source of water for drilling changed? 🔘 Yes 📵 No
<ul> <li>Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation?</li> <li>Yes</li> <li>No</li> </ul>
• Is bonding still in place, which covers this proposed well? 🌘 Yes 🔘 No
Signature: Mandie Crozier Date: 9/5/2014

Sundry Number: 66072 API Well Number: 43047396600000

STATE OF UTAH			FORM 9
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING		5.LEASE DESIGNATION AND SERIAL NUMBER: 20G0005609	
SUNDRY NOTICES AND REPORTS ON WELLS			6. IF INDIAN, ALLOTTEE OR TRIBE NAME: UTE
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATIO FOR PERMIT TO DRILL form for such proposals.			7.UNIT or CA AGREEMENT NAME:
1. TYPE OF WELL Oil Well			8. WELL NAME and NUMBER: UTE TRIBAL 11-35-4-1E
2. NAME OF OPERATOR: NEWFIELD PRODUCTION COMPANY		9. API NUMBER: 43047396600000	
<b>3. ADDRESS OF OPERATOR:</b> Rt 3 Box 3630 , Myton, UT, 84052  435 646-4825 Ext		9. FIELD and POOL or WILDCAT: WINDY RIDGE	
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0769 FSL 1799 FWL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH Qtr/Qtr: NESW Section: 3	HIP, RANGE, MERIDIAN: 35 Township: 04.0S Range: 01.0E Meridian:	υ	STATE: UTAH
11. CHEC	K APPROPRIATE BOXES TO INDICATE N	ATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
Newfield would lik	CHANGE TO PREVIOUS PLANS  CHANGE WELL STATUS  DEEPEN  OPERATOR CHANGE  PRODUCTION START OR RESUME  REPERFORATE CURRENT FORMATION  TUBING REPAIR  WATER SHUTOFF	since it has already	CASING REPAIR  CHANGE WELL NAME  CONVERT WELL TYPE  NEW CONSTRUCTION  PLUG BACK  RECOMPLETE DIFFERENT FORMATION  TEMPORARY ABANDON  WATER DISPOSAL  APD EXTENSION  OTHER: Rescind APD  Depths, volumes, etc.  Accepted by the Utah Division of Oil, Gas and Mining  FOR RECORD ONLY  September 10, 2015
NAME (PLEASE PRINT)	PHONE NUMBER	TITLE	
Mandie Crozier SIGNATURE N/A	435 646-4825	Regulatory Tech  DATE 9/9/2015	
13/A		J/J/ZUIJ	



## State of Utah

#### DEPARTMENT OF NATURAL RESOURCES

MICHAEL R. STYLER Executive Director

Division of Oil, Gas and Mining

JOHN R. BAZA

Division Director

September 10, 2015

Mandie Crozier **Newfield Production Company** Rt 3 Box 3630 Myton, UT 84052

Re: APDs Rescinded for Newfield Production Company,

**Uintah and Duchesne County** 

Dear Ms. Crozier:

Enclosed find the list of APDs that you asked to be rescinded. No drilling activity at these locations has been reported to the division. Therefore, approval to drill these wells is hereby rescinded as of September 9, 2015.

A new APD must be filed with this office for approval prior to the commencement of any future work on the subject location.

If any previously unreported operations have been performed on this well location, it is imperative that you notify the Division immediately.

Sincerely.

Environmental Scientist

Well File cc:

Bureau of Land Management, Vernal



43-047-40506	Ute Tribal 9-35-4-1E
43-013-50879	GMBU 8A-14-9-16
43-047-39660	Ute Tribal 11-35-4-1E
43-047-50634	Ute Tribal 7-11-4-1
43-013-50662	Ute Tribal 5-13-4-2W
43-013-50666	Ute Tribal 16-13-4-3W
43-013-50419	Ute Tribal 3-13-4-2W
43-013-50663	Ute Tribal 6-13-4-2W
43-013-30859	Ute Tribal 7-30R-4-2
43-013-50664	Ute Tribal 10-13-4-3W
43-013-50665	Ute Tribal 12-13-4-3W
43-013-50667	Ute Tribal 10-15-4-3W
43-013-50668	Ute Tribal 16-15-4-3W
43-013-50669	Ute Tribal 1-22-4-3W
43-013-50670	Ute Tribal 2-22-4-3W
43-047-36711	Federal 9-28-8-18
43-047-39818	Federal 5-5-9-19
43-047-39861	Federal 6-5-9-19
43-047-39862	Federal 7-5-9-19
43-047-39863	Federal 9-5-9-19
43-047-39864	Federal 10-5-9-19
43-047-39865	Federal 14A-5-9-19
43-047-39866	Federal 16-5-9-19
43-047-39874	Federal 2-6-9-19
43-047-39875	Federal 3-6-9-19
43-047-39876	Federal 6-6-9-19
43-047-39877	Federal 10-6-9-19
43-047-39880	Federal 9-7-9-19
43-047-40384	Federal 13-21-8-18
43-047-40383	Federal 1-28-8-18
43-047-39816	Federal 3-5-9-19
43-047-39817	Federal 4-5-9-19
43-047-50537	Federal 2-7-9-19
43-047-50538	Federal 10-7-9-19
43-013-50163	Ute Tribal 16-26-4-3
43-047-40505	Ute Tribal 10-35-4-1E
43-047-39878	Federal 3A-7-9-19
43-047-39879	Federal 6-7-9-19
43-047-39881	Federal 11-7-9-19
43-047-50970	Greater Mon Butte 13-7-9-19
43-047-50993	Greater Mon Butte 12-7-9-19
43-047-51032	Greater Mon Butte 4-8-9-19
43-047-51033	Greater Mon Butte 7-8-9-19
43-047-51112	Ute Tribal 6-24-4-1
43-047-51907	GMBU 13-31-8-19

43-047-51907 GMBU 13-31-8-19 43-047-51909 GMBU 14-31-8-19